



# TRUCK TARP series

TRUCK TARP FABRIC SUITABLE FOR  
VARIOUS HARSH ENVIRONMENTS

**About Our Customers**

We strive to provide you with the highest quality products to satisfy you and build trust with you.

## Style and Color




Yellow



Red




Blue



Green




Orange Color



White



Grey



Black

## Product Features



UV Resistant



Flame Retardant



Abrasion Resistant



Printable



Durable

# Technical Parameters

	Total Weight	Base Fabric	Tensile Strength ( DIN 53 354 )	Tearing Strength ( DIN 53 363 )	Adhesion ( DIN 53 357 )	Width	Temperature Resistance	Flame Retardancy	Lacquering	Application
<b>X17-000030</b>	420g/m <sup>2</sup> 12 OZ/YD <sup>2</sup>	500×840D 30×19/inch	2095/1537 N/5cm	127/120 N/5cm	83 N/5cm	1.55/2.1/2.5/ 3.0/3.2m	-30°C / +70°C		PVDF/Acrylic	Truck tarpaulin
<b>X17-000031</b>	550g/m <sup>2</sup> 16 OZ/YD <sup>2</sup>	1000D 18×18/inch	2781/2448 N/5cm	287/207 N/5cm	100 N/5cm	2.5/3.0/3.2m	-30°C / +70°C	B1,M2	PVDF/Acrylic	Truck tarpaulin trailer cover
<b>X17-000032</b>	610g/m <sup>2</sup> 18 OZ/YD <sup>2</sup>	1000D 20×20/inch	2462/2125 N/5cm	215/199 N/5cm	100 N/5cm	2.5/3.0/3.2m	-30°C / +70°C	B1,M2	PVDF/Acrylic	Truck tarpaulin trailer cover
<b>X17-000033</b>	650g/m <sup>2</sup> 19 OZ/YD <sup>2</sup>	1000D 20×22/inch	2735/2384 N/5cm	253/185 N/5cm	100 N/5cm	2.5/3.0/3.2m	-30°C / +70°C	B1,M2	PVDF/Acrylic	Side curtain
<b>X17-000034</b>	700g/m <sup>2</sup> 21 OZ/YD <sup>2</sup>	1000D 23×23/inch	3426/3011 N/5cm	360/313 N/5cm	100 N/5cm	2.5/3.0m	-30°C / +70°C	B1,M2	PVDF/Acrylic	Side curtain
<b>X17-000035</b>	900g/m <sup>2</sup> 26 OZ/YD <sup>2</sup>	1000D 30×30/inch	4420/3670 N/5cm	383/341 N/5cm	100 N/5cm	2.5/3.0m	-30°C / +70°C	B1,M2	PVDF/Acrylic	Side curtain
<b>X17-000036</b>	1300g/m <sup>2</sup> 38 OZ/YD <sup>2</sup>	1000D 30×30/inch	4526/3718 N/5cm	272/202 N/5cm	100 N/5cm	2.5/3.0m	-30°C / +70°C	B1,M2	PVDF/Acrylic	Side curtain

Please note: This product has a wide range of applications and is not limited above specific model.

